Application No.: 10/799,491

Page 3 of 8

CLAIM AMENDMENTS

IN THE CLAIMS:

This listing of the claims will replace all prior versions, and listing, of claims in the

application or previous response to office action:

1. (Original) A method for treating a target tissue within an intervertebral disc,

comprising:

a) forming a void in at least close proximity to the target tissue; and

b) delivering a preheated fluid to the void, wherein the fluid is preheated to a

temperature in the range of from about 45°C to 90°C, and at least a portion of the target tissue

undergoes contraction due to heat exchange between the target tissue and the fluid.

2. (Original) The method of claim 1, wherein the temperature of the target tissue is

increased to a treatment temperature due to the heat exchange between the target tissue and the preheated fluid, wherein the treatment temperature is in the range of from about

45°C to 90°C.

3. (Original) The method of claim 2, wherein the treatment temperature is in the

range of from about 60°C to 70°C.

4. (Original) The method of claim 1, wherein the target tissue comprises nucleus

pulposus tissue.

5. (Original) The method of claim 1, wherein the target tissue lies adjacent to the

annulus fibrosus

Application No.: 10/799,491

Page 4 of 8

 (Original) The method of claim 1, wherein the target tissue lies adjacent to an annular fissure of the disc.

7. (Original) The method of claim 1, wherein said step a) comprises ablating disc

tissue components using an electrosurgical probe.

8. (Original) The method of claim 7, further comprising:

c) prior to said step b), manipulating the electrosurgical probe such that the void is

sculpted to a suitable size and shape.

9. (Original) The method of claim 7, wherein said step b) comprises delivering the

preheated fluid to the void via a fluid delivery unit, wherein the fluid delivery unit is integral

with the electrosurgical probe.

10. (Original) The method of claim 7, wherein said step b) comprises delivering the

preheated fluid to the void via a fluid delivery system, wherein the fluid delivery system is

separate from the electrosurgical probe.

11. (Original) The method of claim 1, wherein said step b) comprises delivering

saline to the void, the saline at a temperature in the range of from about 60°C to 70°C.

12. (Original) The method of claim 1, wherein said step b) comprises delivering the

preheated fluid to the void at a regulated rate, and the method further comprises:

d) withdrawing the fluid from the void, whereby the fluid is circulated through the void at

a substantially constant temperature.

Application No.: 10/799,491

Page 5 of 8

13. (Original) A method for treating an intervertebral disc, comprising:

a) forming a void in at least close proximity to a target tissue within the

intervertebral disc; and

b) delivering a preheated fluid to the void, wherein at least a portion of the target

tissue is heated to a temperature in the range of from about  $45^{\circ}\text{C}$  to  $90^{\circ}\text{C},$  whereby collagen

fibers within the target tissue undergo shrinkage.

14. (Original) The method of claim 13, wherein at least a portion of the target tissue

is heated to a temperature in the range of from about 60°C to 70°C.

15. (Original) The method of claim 13, wherein the target tissue is heated via heat

exchange between the preheated fluid and the target tissue.

16. (Original) The method of claim 13, wherein said step a) comprises forming a

void in the nucleus pulposus.

17. (Original) The method of claim 13, wherein said step a) comprises:

c) positioning an active electrode terminal of an electrosurgical probe within the disc at a

location in at least close proximity to the target tissue; and

d) applying a high frequency voltage between the active electrode terminal and a return

electrode.

18. (Original) The method of claim 17, further comprising:

e) during said step d), manipulating the electrosurgical probe such that the void is

sculpted to a suitable size and shape.

Application No.: 10/799,491

Page 6 of 8

19. (Original) The method of claim 17, wherein said step b) comprises delivering the preheated fluid to the void via a fluid delivery system, the fluid delivery system separate from the electrosurgical probe.

20. (Cancelled)